

JUNCTION BOXES

with cable gland

Technical Characteristic

- Ral 7035 Grey
- Impact Resistant
- IK 10
- With Press-fit Cover
- Made of ABS
- Multiple Size Cable Sleeve
- Operating Temperature: -25°C to +60°C
- Glow wire Test 650°C



Junction Boxes - With press fit cover

Code	Dimension (WxHxD)	Pack
CP 1036	Ø 70x40	60
CP 1037	Ø 85x45	40
CP 1038	80x80x40	40



Junction Boxes - With stainless steel screw

Code	Dimension (WxHxD)	Pack
CP 1039	80x120x50	22
CP 1040	100x100x50	18
CP 1051	150x110x70	9
CP 1055	110x110x70	12
CP 1072	150x150x70	10



Junction Boxes - With plastic screw

Code	Dimension (WxHxD)	Pack
CP 1052	190x145x80	10
CP 1053	250x200x90	12
CP 1054	310x230x130	6
CP 1056	400x480x120	4



Junction Boxes - With stainless steel screw

Code	Dimension (WxHxD)	Pack
CP 1359	80x120x120	35
CP 1360	100x100x120	36
CP 1361	150x110x140	16



Junction Boxes - With plastic screw

Code	Dimension (WxHxD)	Pack
CP 1362	190x145x140	10
CP 1363	250x200x160	6
CP 1364	310x230x180	6

JUNCTION BOXES

with blank sides

Technical Characteristic

- Ral 7035 Grey
- Impact Resistant
- IK 10
- With Press-fit Cover
- Made of ABS
- Screwed Cover
- Operating Temperature: -25°C to +60°C
- Smooth Sides and Plain Blank Cover
- Glow wire Test 650°C



Junction Boxes - With stainless steel screw



Code	Dimension (WxHxD)	Pack
CP 1029	80x120x50	22
CP 1030	100x100x50	18
CP 1032	150x150x70	10
CP 1035	110x110x70	20
CP 1041	150x110x70	9
CP 1047	130x230x85	16
CP 1048	130x350x85	14
CP 1049	130x460x85	8



Junction Boxes - With plastic screw



Code	Dimension (WxHxD)	Pack
CP 1042	190x145x80	10
CP 1043	250x200x90	12
CP 1044	310x230x130	6
CP 1045	400x300x130	6
CP 1046	400x480x140	4



Junction Boxes - With stainless steel screw



Code	Dimension (WxHxD)	Pack
CP 1059	80x120x120	35
CP 1060	100x100x120	36
CP 1061	150x110x140	16
CP 1065	230x125x120	15

Junction Boxes - With plastic screw



Code	Dimension (WxHxD)	Pack
CP 1062	190x145x140	10
CP 1063	250x200x160	6
CP 1064	310x230x180	6

JUNCTION BOXES

with knock-outs

Technical Characteristic

- Ral 7035 Grey
- Impact Resistant
- IK 10
- With Press-fit Cover
- Made of ABS
- Knock-out Entries
- Operating Temperature: -25°C to +60°C
- Glow wire Test 650°C



Junction Boxes - With press fit Cover

Code	Dimension (WxHxD)	Pack
CP 1020	90x43x40	456
CP 1021	75x75x40	280
CP 1022	85x85x40	224

* Made of cover and Base ar PP/PS



Junction Boxes - With press fit Cover

Code	Dimension (WxHxD)	Pack
CP 1236	Ø 70x40	60
CP 1237	Ø 85x45	40
CP 1238	80x80x40	40



Junction Boxes - With plastic screw

Code	Dimension (WxHxD)	Pack
CP 1235	110x110x70	10
CP 1239	80x120x50	22
CP 1240	100x100x50	18
CP 1251	150x110x70	9
CP 1232	150x150x70	10
CP 1252	190x145x80	10
CP 1253	250x200x90	12
CP 1254	310x230x130	6

■ Stainless steel screw / IP54



Junction Boxes - With plastic screw

Code	Dimension (WxHxD)	Pack
CP 1259	80x120x120	35
CP 1260	100x100x120	36
CP 1261	150x110x140	16
CP 1262	190x145x140	10
CP 1263	250x200x160	6
CP 1264	310x230x180	6

■ Stainless steel screw / IP54



JUNCTION BOXES

with knock outs

Technical Characteristic

- Ral 7035 Grey
- Impact Resistant
- IK 10
- Made of ABS; Cover is Made of Polycarbonate
- Knock-out Entries
- Operating Temperature: -25°C to +60°C
- Glow wire Test 650°C



Transparent - With Plastic Screw



Code	Dimension (WxHxD)	Pack
CP 1451	150x110x70	9
CP 1432	150x150x70	10
CP 1452	190x145x80	10
CP 1453	250x200x90	12
CP 1454	310x230x130	6

■ Stainless steel screw / IP54



Transparent - With Plastic Screw



Code	Dimension (WxHxD)	Pack
CP 1471	150x110x140	16
CP 1472	190x145x140	10
CP 1473	250x200x160	6
CP 1474	310x230x180	6

■ Stainless screw / IP54



Mounting Plate

Code	Dimension (WxHxD)	Pack
CP 2042	190x145	10
CP 2043	250x200	10
CP 2044	310x230	10
CP 2045	400x300	10
CP 2046	400x480	5

JUNCTION BOXES

with blank sides

Technical Characteristic

- Ral 7035 Grey
- Impact Resistant
- IK 10
- Made of ABS; Cover is Made of Polycarbonate
- Multiple Size Cable Sleeve
- Operating Temperature: -25°C to +60°C
- Glow wire Test 650°C



Transparent - With Plastic Screws

Code	Dimension (WxHxD)	Pack
CP 1132	150x150x70	10
CP 1141	150x110x70	10
CP 1142	190x145x80	10
CP 1143	250x200x90	12
CP 1144	310x230x130	6
CP 1145	400x300x130	6
CP 1146	400x480x140	4

■ Stainless screw / IP54



Transparent - With Plastic Screws

Code	Dimension (WxHxD)	Pack
CP 1161	150x110x140	16
CP 1162	190x145x140	10
CP 1163	250x200x160	6
CP 1164	310x230x180	6

■ Stainless screw / IP54



Mounting Plate

Code	Dimension (WxHxD)	Pack
CP 2042	190x145	10
CP 2043	250x200	10
CP 2044	310x230	10
CP 2045	400x300	10
CP 2046	400x480	5



JUNCTION BOXES

with cable gland

Technical Characteristic

- Ral 7035 Grey
- Impact Resistant
- IK 10
- ABS - PC
- Multiple Size Cable Sleeve
- Operating Temperature: -25°C to +60°C
- Glow wire Test 650°C



Transparent - With Plastic Screw



Code	Dimension (WxHxD)	Pack
CP 1151	150x110x70	9
CP 1172	150x150x70	10
CP 1152	190x145x80	10
CP 1153	250x200x90	12
CP 1154	310x230x130	6
CP 1156	400x480x120	4

■ Stainless steel screw / IP54



Transparent - With Plastic Screw



Code	Dimension (WxHxD)	Pack
CP 1461	150x110x140	16
CP 1462	190x145x140	10
CP 1463	250x200x160	6
CP 1464	310x230x180	6

■ Stainless screw / IP54



Flush Mounting



Code	Dimension (WxHxD)	Pack
CP 1801	85x85x45	96
CP 1802	100x100x45	76
CP 1803	130x130x55	37
CP 1804	160x160x65	20
CP 1805	200x200x70	12
CP 1806	192x152x70	40
CP 1807	294x152x70	30
CP 1808	392x152x70	30