



# SIMPLER SMARTER THAN EVER



— Classia —







# Classia

---

- 2 **SIMPLE** SHAPE
- 6 **SIMPLE** CHOICE
- 8 **SMART** SOLUTION
- 10 **SMART** INSTALLATION
- 14 CATALOGUE

# SIMPLE SHAPE



A modern pure shape,  
defined by an accurate  
outline which contrasts  
with a gently curved surface.  
The frame gives a unique  
touch to your switch.











Two finishes of shiny white and black satin devices

Frame from tone to tone effects to metal gold, chrome, nickel



A modern pure shape,  
defined by an accurate  
outline contrasts  
with a gently curved volume



Slightly curved  
push button



**SWITCH: 2 DIFFERENT VERSION**  
**Not lightable:** always uniform aesthetic  
**Lightable with led included:** advantage  
to have a clear, intense bright beam



16 plate finishes to match with  
2 different colors of controls:  
white glossy - black satin.  
The richness grows with  
the richness of frame from tone  
to tone effects to metal gold,  
chrome, nickel.

# SIMPLE



# CHOICE







**BASICS**




**FRAMES**



**FINISHES**



**ACCENTS**



A unique and complete offer with all the modular systems: Italian and European standard.

# SMART SOLUTION




**TWO MODULES**  
European standard


**THREE MODULES**  
Italian standard

# ALL POSSIBLE COMBINATIONS

6 For European installation system - up to 5 gangs



5 For Italian installation system







High performance and quality that gives a perfect installation in any kind of box and wall. Cover plates designed to mach both Italian and European standard.

# SMART INSTALLATION




## INSTALLATION SYSTEM

- Innovative cover plates regulation system guarantee plate flush on the wall
- Easy installation and removal of devices

### Screw fixing support


**PLASTERBOARD INSTALLATION:**  
 - Frame to be removed on plasterboard wall to guarantee the perfect alignment of cover plates and switches flush on the wall.

**METAL INSERT:**  
 - It makes the support rigid.  
 - The metal eyelets guarantee a better fixing of the screws.



### Support with clips


Fixing clips



**Innovative docking system for multiple installations.**


If needs you can remove the clips and install the support with the screw.

Perfect alignment due to a self-supporting hooking system.  
 High resistance due to special material



# CLASSIA

## Switches



Item	ONE-WAY SWITCHES
<input type="checkbox"/> RW4001	1P 10 AX - 250 Va.c. - 1 module - white
<input checked="" type="checkbox"/> RG4001	as above - black
<input type="checkbox"/> RW4001L	1P 10 AX - 250 Va.c. - lightable with led lamp 230 V included - 1 module - white
<input checked="" type="checkbox"/> RG4001L	as above - black
<input type="checkbox"/> RW4001M2	1P 10 AX - 250 Va.c. - 2 modules - white
<input checked="" type="checkbox"/> RG4001M2	as above - black
<input type="checkbox"/> RW4001M2L	1P 10 AX - 250 Va.c. - lightable with led lamp 230 V included - 2 modules - white
<input checked="" type="checkbox"/> RG4001M2L	as above - black
<input type="checkbox"/> RW4001LS	1P 16 AX - 250 Va.c. - lightable with led lamp 230 V included - 1 module - boiler symbol - white
<input checked="" type="checkbox"/> RG4001LS	as above - black
<input type="checkbox"/> RW4001LP	1P 16 AX - 250 Va.c. - lightable with led lamp 230 V included - 1 module - heater symbol - white
<input checked="" type="checkbox"/> RG4001LP	as above - black
<input type="checkbox"/> RW4001LR	1P 10 AX - 250 Va.c. - lightable with led lamp 230 V included - 1 module - fan symbol - white
<input checked="" type="checkbox"/> RG4001LR	as above - black
<input type="checkbox"/> RW4001LA	1P 10 AX - 250 Va.c. - lightable with led lamp 230 V included - 1 module - lamp symbol - white
<input checked="" type="checkbox"/> RG4001LA	as above - black
<input type="checkbox"/> RW4002L	2P 16 AX - 250 Va.c. - lightable with led lamp 230 V included - 1 module - white
<input checked="" type="checkbox"/> RG4002L	as above - black

Item	TWO-WAY SWITCHES
<input type="checkbox"/> RW4003	1P 10 AX - 250 Va.c. - 1 module - white
<input checked="" type="checkbox"/> RG4003	as above - black
<input type="checkbox"/> RW4003L	1P 10 AX - 250 Va.c. - lightable with led lamp 230 V included - 1 module - white
<input checked="" type="checkbox"/> RG4003L	as above - black
<input type="checkbox"/> RW4003M2	1P 10 AX - 250 Va.c. - 2 modules - white
<input checked="" type="checkbox"/> RG4003M2	as above - black
<input type="checkbox"/> RW4003M2L	1P 10 AX - 250 Va.c. - lightable with led lamp 230 V included - 2 modules - white
<input checked="" type="checkbox"/> RG4003M2L	as above - black

Item	FOUR-WAY SWITCHES
<input type="checkbox"/> RW4004	intermediate switch 10 AX - 250 Va.c. - 1 module - white
<input checked="" type="checkbox"/> RG4004	as above - black
<input type="checkbox"/> RW4004L	intermediate switch 10 AX - 250 Va.c. - lightable with led lamp 230 V included - 1 module - white
<input checked="" type="checkbox"/> RG4004L	as above - black
<input type="checkbox"/> RW4004M2	intermediate switch 10 AX - 250 Va.c. - 2 modules - white
<input checked="" type="checkbox"/> RG4004M2	as above - black
<input type="checkbox"/> RW4004M2L	intermediate switch 10 AX - 250 Va.c. - lightable with led lamp 230 V included - 2 modules - white
<input checked="" type="checkbox"/> RG4004M2L	as above - black



# CLASSIA

## Switches



RW4005    RG4005    RW4005L    RG4005L  
 RW4005M2    RG4005M2    RW4005M2L    RG4005M2L  
 RW4042V230    RG4042V230    RW4042V12    RG4042V12  
 RW4043    RG4043    R4040



RW4001B3    RW4001B4



RW4431    RG4431



RW4037    RG4037    RW4027    RG4027

Item	PUSHBUTTONS
<input type="checkbox"/> RW4005	1P (NO) 10 A - 250 Va.c. - 1 module - white
<input checked="" type="checkbox"/> RG4005	1P (NO) 10 A - 250 Va.c. - 1 module - black
<input type="checkbox"/> RW4005L	1P (NO) 10 A - 250 Va.c. - lightable with led lamp 230 V included - 1 module - white
<input checked="" type="checkbox"/> RG4005L	as above - black
<input type="checkbox"/> RW4005M2	1P (NO) 10 A - 250 Va.c. - 2 modules - white
<input checked="" type="checkbox"/> RG4005M2	as above - black
<input type="checkbox"/> RW4005M2L	1P (NO) 10 A - 250 Va.c. - lightable with led lamp 230 V included - 2 modules - white
<input checked="" type="checkbox"/> RG4005M2L	as above - black
<input type="checkbox"/> RW4042V230	1P (NO) 10 A - 250 Va.c. - bell symbol - lightable with led lamp 230 V included - 1 module - white
<input checked="" type="checkbox"/> RG4042V230	as above - black
<input type="checkbox"/> RW4042V12	1P (NO) 10 A - 250 Va.c. - bell symbol - lightable with led lamp 12/24 V included - 1 module - white
<input checked="" type="checkbox"/> RG4042V12	as above - black
<input type="checkbox"/> RW4043	pushbutton 1P (NO) 10A - 250 Va.c. lamp symbol - lightable with led lamp 230 V included - white
<input checked="" type="checkbox"/> RG4043	as above - black
<input type="checkbox"/> R4040	pushbutton 1P (NO) 10A with nameplate lightable with led lamp (not included) - 2 modules
<input type="checkbox"/> LN4742V230T	lamp with led for light signalling 230 Va.c. - white
<input type="checkbox"/> LN4742V12T	lamp with led for light signalling 12/24 Va.c. - white

OTHER SWITCHES	
<input type="checkbox"/> RW4001B3	bathroom switch with indication for three independent circuits 10/2x16 AX 250 Va.c. (light, heater, boiler)
<input type="checkbox"/> RW4001B4	bathroom switch with indication for four independent circuits 2x10/2x16 AX 250 Va.c. (light, fan, heater, boiler)

PASSIVE INFRARED SWITCHES	
<input type="checkbox"/> RW4431	switch with passive infrared motion sensor suitable for all types of load including LED lamps - 3 wires - twilight circuit with variable threshold with the possibility of exclusion - timing circuit for delayed switch-off adjustable from 30 seconds to 10 minutes - 230 Va.c. power supply - 1 module - white
<input checked="" type="checkbox"/> RG4431	as above - black

SHUTTER SWITCHES	
<input type="checkbox"/> RW4037	double 1P (NO) + 1P (NO) 10A - 250Va.c. interlocked - 1 module - white
<input checked="" type="checkbox"/> RG4037	as above - black
<input type="checkbox"/> RW4027	changeover switch 1P 10 A - 250 Va.c. - 1 module - white
<input checked="" type="checkbox"/> RG4027	as above - black

# CLASSIA

## Dimmers



RW4402



RG4402



RW4411



RG4411

### DIMMER

<input type="checkbox"/> RW4402	rotary dimmer 40 - 400 W 230 Va.c. - 2 modules - white
<input checked="" type="checkbox"/> RG4402	as above - black
<input type="checkbox"/> RW4411	universal dimmer (resistive – inductive, capacitive, fluorescent compact and dimmer LEDs) - 150/200/400 W with electronic protection - 2 modules - white
<input checked="" type="checkbox"/> RG4411	as above - black

### Loads

Item	Type	Range (Va.c.)	Supply std					
				Incandescents and halogens	Halogens with ferromagnetic transformer	Halogens with electronic transformer	Dimmerable compact fluorescents	Dimmerable LED lamps
RW4402 RG4402	Resistive	230 50	230 Va.c.	40 ÷ 400 W				
RW4411 RG4411	Universal	100 ÷ 240 50 ÷ 60	230 Va.c. 100 Va.c.	3 ÷ 200 W 3 ÷ 400 W	3 ÷ 200 VA 3 ÷ 400 VA	3 ÷ 200 VA 3 ÷ 400 VA	3 ÷ 75 W 3 ÷ 150 W	3 ÷ 75 W 3 ÷ 150 W

## Socket outlets



RW4141



RG4141



R4141A



R4141R



R4141V



RW4141C



RG4141C

### Item

### GERMAN STANDARD

<input type="checkbox"/> RW4141	socket 2P+E 16A 250 Va.c. - socket with earth side contacts - shielded tulip contacts - white
<input checked="" type="checkbox"/> RG4141	as above - black
<input type="checkbox"/> R4141A	as above - orange
<input type="checkbox"/> R4141R	as above - red
<input type="checkbox"/> R4141V	as above - green
<input type="checkbox"/> RW4141C	socket 2P+E 16A 250 Va.c. - socket with earth side contacts - shielded tulip contacts, with IP20 flap - white
<input checked="" type="checkbox"/> RG4141C	as above - black

# CLASSIA

## Socket outlets



### ITALIAN STANDARD

<input type="checkbox"/> RW4180	2P+E 16 A 250 Va.c. socket - center distance 19 mm and 26 mm - shielded tulip contacts - for plugs 2 P and 2 P+E 10 and 16 A Italian standard - white
■ RG4180	as above - black
○ R4180R	as above - red
<input type="checkbox"/> RW4113	socket 2P+E 10A 250 Va.c. -type earth side contacts - shielded socket contacts - white
■ RG4113	as above - black
<input type="checkbox"/> RW4140A16	socket 2P+E 10A and 16A 250 Va.c. 19 mm and 26 mm center distance, 2-center socket configuration protected socket contacts; earth side contacts for German standard plugs; suitable for Italian standard plugs 2P and 2P+E 10/16A, German standard plugs 2P+E 16A - white
■ RG4140A16	as above - black
○ R4140A16R	as above - red

### EURO-AMERICAN STANDARD

<input type="checkbox"/> RW4125	socket 2P 16 A 127/250 Va.c. - shielded holes - white
■ RG4125	as above - black

### ISRAELI STANDARD

<input type="checkbox"/> RW4183	socket 2P+E 16 A 250 Va.c. - white
■ RG4183	as above - black
○ R4183R	as above - red

### USB CHARGER

<input type="checkbox"/> RW4287C2	5 Vdc USB charger TYPE A and C for quick charge of one single electronic device (mobile phones, smartphones, tablets or similar) up to 3000 mA or simultaneous charging of two devices up to 1500 mA- 110÷230 Va.c. 50÷60 Hz power supply - 2 modules - white
■ RG4287C2	as above - black
<input type="checkbox"/> RW4286C2	5 Vdc USB charger TYPE C for quick charge of one single electronic device (mobile phones, smartphones, tablets or similar) up to 3000 mA or simultaneous charging of two devices up to 1500 mA- 110÷230 Va.c. 50÷60 Hz power supply - 2 modules- white
■ RG4286C2	as above - black



# CLASSIA

## TV sockets



### TV SOCKETS

<input type="checkbox"/> RW4202D	star coaxial socket for single-user aerial systems, also remote powered and centralised, and single-user / centralised satellite systems with current and signal transfer for channels selection; shielded connection clamps with captive screws - Ø 9.5 mm; male connector - 1 module - white
■ RG4202D	as above - black
<input type="checkbox"/> RW4202P10	terminal coaxial socket, -10dB attenuation, for centralised TV systems, also remote powered, and centralised satellite systems with current and signal transfer for channels selection; shielded connection clamps with captive screws - Ø 9,5 mm - male connector - incorporated impedance final adapter 75 Ω - 1 module - white
■ RG4202P10	as above - black
<input type="checkbox"/> RW4202P14	passthrough coaxial socket, -14dB attenuation, for centralised TV systems, also remote powered, and centralised satellite systems with current and signal transfer for channels selection - shielded connection clamps with captive screws - Ø 9.5 mm; male connector - 1 module - white
■ RG4202P14	as above - black
<input type="checkbox"/> RW4217M2D	star demixed coaxial socket for single-user aerial systems, also remote powered and shunting centralized, and for single-user / shunting centralized satellite systems with current and signal transfer for channels selection; Ø 9.5 mm; male connector - type F SAT connector - 2 modules - white
■ RG4217M2D	as above - black
<input type="checkbox"/> RW4217M2P10	terminal demixed coaxial socket, -10dB attenuation, for centralized TV systems, also remote powered, and centralized satellite systems with current and signal transfer for channels selection; Ø 9.5 mm; male connector - type F SAT connector - incorporated impedance final adapter 75 Ω - 2 modules - white
■ RG4217M2P10	as above - black
<input type="checkbox"/> RW4217M2P14	passthrough demixed coaxial socket, -14dB attenuation, for centralized TV systems, also remote powered, and centralized satellite systems with current and signal transfer for channels selection; Ø 9.5 mm; male connector - type F SAT connector - 2 modules - white
■ RG4217M2P14	as above - black
<input type="checkbox"/> RW4210M2D	star demixed coaxial socket for single-user aerial systems, also remote powered and shunting centralised, and for single-user/shunting centralised satellite systems with current and signal transfer for channels selection, and for radio systems; Ø 9.5 mm male TV connector - type F SAT connector and female radio Ø 9.5 mm - 2 modules - white
■ RG4210M2D	as above - black
<input type="checkbox"/> RW4202F	type-F coaxial socket - impedance 75 ohm - screw hook - 1 module - white
■ RG4202F	as above - black

# CLASSIA

## Telephone and data sockets




Item	RJ CONNECTORS
<input type="checkbox"/> RW4258RJ11	RJ11 connector type K10 - 1 module - white
<input checked="" type="checkbox"/> RG4258RJ11	as above - black
<input type="checkbox"/> RW4238	telephone socket - ISRAELI standard - 1 module - white
<input checked="" type="checkbox"/> RG4238	as above - black
<input type="checkbox"/> RW4279C5E	RJ45 toolless UTP cat5E - 1 module - white
<input checked="" type="checkbox"/> RG4279C5E	as above - black
<input type="checkbox"/> RW4279C6	RJ45 toolless UTP cat6 - 1 module - white
<input checked="" type="checkbox"/> RG4279C6	as above - black
<input type="checkbox"/> RW4279C6S	RJ45 toolless STP cat6 - 1 module - white
<input checked="" type="checkbox"/> RG4279C6S	as above - black
<input type="checkbox"/> RW4279C6AS	RJ45 toolless STP cat6A - 1 module - white
<input checked="" type="checkbox"/> RG4279C6AS	as above - black

## Optical and acoustic signalling



Item	BELLS AND BUZZERS
<input type="checkbox"/> RW4351V230	bronze bell 230 Va.c. 8 VA - 1 module - white
<input checked="" type="checkbox"/> RG4351V230	as above - black
<input type="checkbox"/> RW4356V230	buzzer 230 Va.c. 8 VA - 1 module - white
<input checked="" type="checkbox"/> RG4356V230	as above - black



Item	REMOVABLE LED LAMP
<input type="checkbox"/> R4380	It automatically turns on in the case of power failure. Push & Pull extracting system - high efficiency white LED - ON / OFF switch and SPOT button to increase light intensity if needed - interchangeable Ni-MH batteries with 2h duration - low consumption in stand-by 0,4W - 127 / 230V power supply. Recharging base, 2 modules - cover included.
<input type="checkbox"/> 4380NB	spare battery for removable led lamp R4380

## Blanking modules



Item	BLANKING MODULES AND OUTPUTS
<input type="checkbox"/> RW4950	blank plate - 1 module - white
<input checked="" type="checkbox"/> RG4950	as above - black
<input type="checkbox"/> RW4953	simple output ø 9.5 mm - 1 module - white
<input checked="" type="checkbox"/> RG4953	as above - black

# CLASSIA

## Hotel offer



RW4033



RG4033



RW4028H



RG4028H



RW4373H



RG4373H



RW4139



RG4139



RW4177



RG4177



RW4549



RG4549



RW4441



RG4441

Item

### PULL-CORD PUSHBUTTON

<input type="checkbox"/> RW4033	1 P (NO) 10 A - 250 Va.c. with cord-pull - 1 module - white
<input checked="" type="checkbox"/> RG4033	as above - black

### MAKE UP THE ROOM / DO NO DISTURB

<input type="checkbox"/> RW4028H	1P 10 A – 250 Vac double-key changeover switch 1-0-2 with interlock and double signalling: “do not disturb” and “make up the room”. 1 module - white
<input checked="" type="checkbox"/> RG4028H	as above - black
<input type="checkbox"/> RW4373H	lampholder with double optical signalling: “do not disturb” and “rearrange the room” - 1 module - white
<input checked="" type="checkbox"/> RG4373H	as above - black

### MULTISTANDARD SOCKETS

<input type="checkbox"/> RW4139	socket 2P+E 5/6/10/13 A 250 Va.c. and 127 Va.c. multistandard - 5 A and 13 A = BS std; 6 A = Indian std., 10 A = European std. - white
<input checked="" type="checkbox"/> RG4139	as above - black

### SHAVER SOCKETS

<input type="checkbox"/> RW4177	shaver socket 230V - white
<input checked="" type="checkbox"/> RG4177	as above - black
















### KEY FOB SWITCH

<input type="checkbox"/> RW4549	key fob switch to switch ON lights and devices in hotel rooms - slot light with built-in lamp - switch-off delay - max. load 30 VA 230 Vac - 2 modules - white
<input checked="" type="checkbox"/> RG4549	as above - black

### ROOM TEMPERATURE CONTROL

<input type="checkbox"/> RW4441	electronic room thermostat – relay output with 1 contact in switch ing 8 A 250 Va.c. - 230 Va.c. power supply – 50 and 60 Hz - 2 module - white
<input checked="" type="checkbox"/> RG4441	as above - black

# COVER PLATES COLOURS

















BASICS				
	White - <b>RW</b>	Cream - <b>CR</b>	Moka - <b>MK</b>	Black - <b>BC</b>
FRAMES				
	Ice satin - <b>ES</b>	Cream satin - <b>CS</b>	White satin - <b>WS</b>	Black satin - <b>BG</b>
FINISHES				
	Titanium metal - <b>TM</b>	Siena soft - <b>SF</b>	Blue metal - <b>LM</b>	Terra soft - <b>TF</b>
ACCENTS				
	White gold - <b>WD</b>	White chrome - <b>WR</b>	Black nickel - <b>BH</b>	Black gold - <b>BD</b>



# COVER PLATES: TABLE FOR SELECTING CODE

















## Area Europa installation system

### SUPPORTS

	1 centered	2	2+2 "horizontal/vertical instal."	2+2+2 "horizontal/vertical instal."	2+2+2+2 "horizontal/vertical instal."	2+2+2+2+2 "horizontal/vertical instal."
<b>BASICS</b>						
 White	R4801RW	R4802RW	R4802M2RW	R4802M3RW	R4802M4RW	R4802M5RW
 Cream	R4801CR	R4802CR	R4802M2CR	R4802M3CR	R4802M4CR	R4802M5CR
 Moka	R4801MK	R4802MK	R4802M2MK	R4802M3MK	R4802M4MK	R4802M5MK
 Black	R4801BC	R4802BC	R4802M2BC	R4802M3BC	R4802M4BC	R4802M5BC
<b>FRAMES</b>						
 Ice satin	R4801ES	R4802ES	R4802M2ES	R4802M3ES	R4802M4ES	R4802M5ES
 Cream satin	R4801CS	R4802CS	R4802M2CS	R4802M3CS	R4802M4CS	R4802M5CS
 White satin	R4801WS	R4802WS	R4802M2WS	R4802M3WS	R4802M4WS	R4802M5WS
 Black satin	R4801BG	R4802BG	R4802M2BG	R4802M3BG	R4802M4BG	R4802M5BG
<b>FINISHES</b>						
 Titanium metal	R4801TM	R4802TM	R4802M2TM	R4802M3TM	R4802M4TM	R4802M5TM
 Siena soft	R4801SF	R4802SF	R4802M2SF	R4802M3SF	R4802M4SF	R4802M5SF
 Blue metal	R4801LM	R4802LM	R4802M2LM	R4802M3LM	R4802M4LM	R4802M5LM
 Terra soft	R4801TF	R4802TF	R4802M2TF	R4802M3TF	R4802M4TF	R4802M5TF
<b>ACCENTS</b>						
 White gold	R4801WD	R4802WD	R4802M2WD	R4802M3WD	R4802M4WD	R4802M5WD
 White chrome	R4801WR	R4802WR	R4802M2WR	R4802M3WR	R4802M4WR	R4802M5WR
 Black nickel	R4801BH	R4802BH	R4802M2BH	R4802M3BH	R4802M4BH	R4802M5BH
 Black gold	R4801BD	R4802BD	R4802M2BD	R4802M3BD	R4802M4BD	R4802M5BD
<b>FRAME</b>						
	R4702G with clips R4702 with screws	R4702G with clips R4702 with screws	2 x R4702G with clips 2 x R4702 with screws	3 x R4702G with clips 3 x R4702 with screws	4 x R4702G with clips 4 x R4702 with screws	5 x R4702G with clips 5 x R4702 with screws

## Area Italian installation system

### SUPPORTS

	1 centered	2 centered	3	4	7
<b>BASICS</b>					
 White	R4803M1RW	R4819RW	R4803RW	R4804RW	R4807RW
 Cream	R4803M1CR	R4819CR	R4803CR	R4804CR	R4807CR
 Moka	R4803M1MK	R4819MK	R4803MK	R4804MK	R4807MK
 Black	R4803M1BC	R4819BC	R4803BC	R4804BC	R4807BC
<b>FRAMES</b>					
 Ice satin	R4803M1ES	R4819ES	R4803ES	R4804ES	R4807ES
 Cream satin	R4803M1CS	R4819CS	R4803CS	R4804CS	R4807CS
 White satin	R4803M1WS	R4819WS	R4803WS	R4804WS	R4807WS
 Black satin	R4803M1BG	R4819BG	R4803BG	R4804BG	R4807BG
<b>FINISHES</b>					
 Titanium metal	R4803M1TM	R4819TM	R4803TM	R4804TM	R4807TM
 Siena soft	R4803M1SF	R4819SF	R4803SF	R4804SF	R4807SF
 Blue metal	R4803M1LM	R4819LM	R4803LM	R4804LM	R4807LM
 Terra soft	R4803M1TF	R4819TF	R4803TF	R4804TF	R4807TF
<b>ACCENTS</b>					
 White gold	R4803M1WD	R4819WD	R4803WD	R4804WD	R4807WD
 White chrome	R4803M1WR	R4819WR	R4803WR	R4804WR	R4807WR
 Black nickel	R4803M1BH	R4819BH	R4803BH	R4804BH	R4807BH
 Black gold	R4803M1BD	R4819BD	R4803BD	R4804BD	R4807BD
<b>FRAME</b>					
	R4703	R4703	R4703	R4704	R4707

# CLASSIA

## Area Europa installation system (71 mm center distance)

SELECTION TABLE

Installation with CLIPS (masonry)	 500  R4702G	 500  R4702G	 2 x 500  2 x R4702G	 3 x 500  3 x R4702G	 4 x 500  4 x R4702G	 5 x 500  5 x R4702G
Installation with SCREW (masonry and plasterboard)	 502E	 502E	 2 x 502E	 3 x 502E	 4 x 502E	 5 x 502E
	 PB502N  R4702	 PB502N  R4702	 PB502N  2 x R4702	 PB502N  3 x R4702	 PB502N  4 x R4702	 PB502N  5 x R4702
No. of modules	 1 centered	 2 modules	 2+2 modules	 2+2+2 modules	 2+2+2+2 modules	 2+2+2+2+2 modules
Cover plates	 R4801...	 R4802...	 R4802M2..	 R4802M3..	 R4802M4..	 R4802M5..

## Area Italian installation system

SELECTION TABLE

Masonry	 503E	 503E	 503E	 504E	 506L
Plasterboard boxes	 PB503N	 PB503N	 PB503N	 PB504N	 PB506N
Frames	 R4703	 R4703	 R4703	 R4704	 R4707
No. of modules	 1 centered	 2 centered	 3	 4	 7
Cover plates	 R4803M1..	 R4819..	 R4803..	 R4804..	 R4807..

The frame can be installed on all the market boxes.

# CLASSIA

## IP55 waterproof covers

DESCRIPTION

2 modules



**27602**

DESCRIPTION

3 modules



**27603**

DESCRIPTION

4 modules



**27604**

## IP40 wall-mounting enclosures

DESCRIPTION

1 module



**27401**

DESCRIPTION

2 modules



**27402**

DESCRIPTION

3 modules



**27403**

4 modules



**27404**

## IP55 wall-mounting enclosures

DESCRIPTION

1 module



**27501**

DESCRIPTION

2 modules



**27502**

DESCRIPTION

3 modules



**27503**

4 modules




**27504**


**CLASSIA**  
Dimensional data

COVER PLATES


**Area Europa installation system**




R4801..




R4802..




R4802M2..



R4801M3..




R4801M4..




R4801M5..


**Area Italian installation system**




R4803M1..




R4819..



R4803..



R4804..



R4807..



# CLASSIA Packaging

It has been designed for both retail and DIY exposure:  
each product has a single packaged



- Euroslot
- Security information inside on 11 languages
- Ean code
- Info for packaging recycling
- QR code for technical information

Discover more



[bticino.com](http://bticino.com)



## **EMB Electrical Industries S.A.E.**

### **Headquarter office**

Pyramids Heights Office Park  
KM 22 Cairo - Alex. desert road  
Building 1B, 12556  
Tel.: +202 3536 0000  
Fax: +202 3536 0001  
[www.legrand.eg](http://www.legrand.eg)

BTicino SpA reserves at any time the right to modify the contents of this booklet and to communicate, in any form and modality, the changes brought to the same.

AD-EXCLS19C/GB - Version 01/2019

**bticino**

A Group Brand |  **legrand**