

CB TEST CERTIFICATE

CERTIFICAT D'ESSAI OC

Product
Produit

Flush mounted installation switch

Name and address of the applicant
Nom et adresse du demandeurALING – CONEL d.o.o.
Železnička 10, RS-21432 Gajdobra, SerbiaName and address of the manufacturer
Nom et adresse du fabricantALING – CONEL d.o.o.
Železnička 10, RS-21432 Gajdobra, SerbiaName and address of the factory
Nom et adresse de l'usineALING – CONEL d.o.o.
Železnička 10, RS-21432 Gajdobra, Serbia

Note: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2ème page

 Additional Information on page 2Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

10 AX; 250 V~

Trademark (if any)
Marque de fabrique (si elle existe)

EON

Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeur

/

Model / Type Ref.
Ref. De type

see page 2

Additional information (if necessary may also be reported
on page 2)
Les informations complémentaires (si nécessaire, peuvent
être indiqués sur la 2^{ème} page

 Additional Information on page 2

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

IEC 60669-1:1998 (Third Edition) + A1:1999 + A2:2006

As shown in the Test Report Ref. No. which forms
part of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

T211-0819/16 dated 2016-12-14


This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



SIQ Ljubljana
Tržaška cesta 2, SI-1000 Ljubljana, Slovenia
T +386 1 4778 100, F +386 1 4778 444, info@siq.si, www.siq.si
Product Certification Body is accredited by Slovenian Accreditation, Reg. No.: CP-001

Date: 2016-12-14

Signature: Bojan Pečavar



Type references:

Switches:

Model No. / Type reference	Description
art.E605.x; art.E605.xx; art.E605U.x	Single pole switch
art.E6052.x; art.E6052.xx; art.E6052U.x	Double pole switch
art.E606.x; art.E606.xx;	Two circuit switch with a common incoming line
art.E607.x; art.E607.xx; art.E607U.x	Two way switch
art.E6072.xx; art.E6072.xxx;	Double two way switch
art.E608.x; art.E608.xx; art.E608U.x	Intermediate switch
art.E609.x; art.E609.xx; art.E609U.x	Single pole momentary contact switch (light symbol)
art.E6090.xx; art.E6090.x; art.E6090U.x	Single pole momentary contact switch
art.E609I.x; art.E609I.xx; art.E609IU.x	Single pole momentary contact switch (light symbol) with indicator
art.E610.x; art.E610.xx; art.E610U.x	Single pole momentary contact switch (door bell symbol)
art.E610I.x; art.E610I.xx; art.E610IU.x	Single pole momentary contact switch (door bell symbol) with indicator
art.E6075.xx; art.E6075.x	Momentary contact switch for blinds
art.E625.x; art.E625.xx; art.E625U.x	Single pole switch with indicator
art.E6252.x; art.E6252.xx; art.E6252U.x	Double pole switch with indicator
art.E626.x; art.E626.xx;	Two circuit switch with a common incoming line with indicator
art.E627.x; art.E627.xx; art.E627U.x	Two way switch with indicator
art.E6272.x; art.E6272.xx;	Double two way switch with indicator
art.E628.x; art.E628.xx; art.E628U.x	Two way intermediate switch

Explanation of color codes and U mark (.x; .xx; U):

One digit: colour code without cover frame (0 – white, E1 – soft black, S - silver)

Two digits: Colour code with cover frame (only white 00)

U mark: small width of button

Date: 2016-12-14

Signature: Bojan Pečavar



List of optional cover frames

Type reference	Description
art.E6801.xx	One-gang frame 80x80mm
art.E6803.xx	One-gang frame 80x120mm
art.E6803U.xx	One-gang frame 80x120mm for small width of button
art.E6701.xx	Two-gang frame horizontal mounting
art.E6711.xx	Two-gang frame vertical mounting
art.E6703.xx	Three-gang frame horizontal mounting
art.E6713.xx	Three-gang frame vertical mounting
art.E6704.xx	Four-gang frame horizontal mounting
art.E6714.xx	Four-gang frame vertical mounting

xx - color code for holding part and cover part, respectively (0-white, 4-red, 7-pastel green, 9-beige, E-black, E1-soft black, G-gold, G2-brushed nickel, K2-soft white, S-silver, S1-antic silver, V-lavander)
Used combinations of codes:
00, 0E, 0S, 4E, 70, 9E, E0, EE, ES, E10, E1E, E1S, GE, G2E, K20, K2S, S0, SE, SS, S1E, V0

Additional information (if necessary)
Information complémentaire (si nécessaire)

Date: 2016-12-14

Signature: Bojan Pečavar

