

CABLE CONDUITS 2020

WHO WE ARE?



45.000 m²
Modern
Manufacturing
Facility

In 81 Cities
Over 100 Sales
Point

65 Countries
Direct Export

24 Hours
Production
Line

400
Personnel

ÇETINKAYA PANO is established in 1979 in Istanbul. Targeting at development and growth from the very first days of its operations in the electricity industry, and, ever since, manufactured many prestigious products for both domestic and international markets, Çetinkaya Pano has expanded its operations after moving in 2015 to its modern facilities in Esenyurt, Istanbul, designed to meet its own needs in order to catch up with the increasing business volume and provide clients a broader range of services.


We have resellers in **81 cities** and offices in **Istanbul Anatolian Side, Bursa, Izmir, Ankara and Gaziantep cities**. The manufacturing range of Çetinkaya Pano include **Plastic Boards, Metal Boards, Polyester Boards, Slotted Wiring Ducts, Junction Boxes, Lighting Armatures, Office Solutions, Underground Junction and Manhole Covers, Fuse Boxes, Regulators, Transformers and Air-Conditioning Products**.

Closely keeping up with the worldwide trends and technical developments, boosting R&D investments and contributing in the advancement of the industry, Çetinkaya Pano takes actions to ensure continuous improvement of the business processes, identifies requirements well in advance, and develops its manufacturing and marketing operations always in line with the expectations.

The quality process of the products manufactured by Çetinkaya Pano at the quality standards starts from the material selection up to manufacturing process extending up to the customer services. Always standing out in every area since its establishment, therefore becoming one of the fastest growing companies of Turkey, Çetinkaya Pano, today, is one of the well-respected brands earned trust of its clients thanks to over **400 employees** and a business footprint of over **65 countries**.

RIBS CLEARANCE 6mm

Thanks to its wide ribs clearance, not only it facilitates much more sound cabling but also eliminates the problem of limited area related to the cable leading, and for the applications of multiple cables, it eliminates uncontrolled release of cables stemming from gap enlarged due to the broken multiple ribs. In this respect, it provides more effective solution compared to its counterparts.




SIDE WALL HOLE DESIGN

Side wall perforated design makes it easy to use the cable-ties.

BOTTOM BASE SCORLINE

Ensures a smooth and burr-free integration of the 90 degree conduit corners. Thanks to this, you ensure your boards to have a more rigid and elegant appearance.



RIBS BREAKS

It has tab lines which enables required ribs to be broken at 90 degree of angle easily without any tools. As a result you will have a smooth and burr-free appearance.




RIBS HOLE DESIGN

Thanks to round hole design on the ribs, you can remove your signal cables separately than other cables.

RAL-7030

Conforms to international standards.





Electro-Installation And Panel Installation

In our new product Series CWD Slotted Wiring Ducts, we bring together our long-rooted experience in board and accessory products with our panel installation clients with their expectations from a wiring ducts. Thanks to easy installation that we offer by means of the special structures used in the design of cable conduits, and the excellent quality we achieved in installation of the products, we meet the expectations of end-user such as burr-free breaking.




Automation - SCADA Industry

Thanks to easy-to-break ribs, we enable faster and practical installations. Also, we create difference with the side wall round hole for leading the the cables with a size of 1.5 mm² or lower thanks to the perforation design at the side walls. It provides advantages with the outlet points designed for the cables you want to arrange a different bundling via the extra holes on the rib.



Construction - Building Industry

We make cable connections easier thanks to 6 mm rib clearance that is wider than standards.



Elevator Industry

Thanks to side wall hole design, we can isolate signal cables from standard cables at the conduit outlet. In this way, thanks to an extra bundling, we can distinguish the signal cables from other cables during cabling inspections.

WHY ÇETİNKAYA WIRING DUCTS?

1 Rib Width - 6 mm




Since the rib width of the wiring ducts is designed as 6 mm, it will be sufficient to break only one rib for leading multiple or thicker cables through rib clearances. Thus, you will prevent cables hanging in the ribs as no multiple tabs are broken.

2 Bottom Base Scorline




Bottom base scorline for the breaking of side walls.

3 Elegant and Rigid Design



Besides rigid appearance of your electrical cabinets, enabling you a more sound cabling.

4 Side Wall Scorline



Enables rib structure to be broken free of burrs

5 Rib Hole Design




Makes easier to use cable-ties thanks to hole design at the bottom of ribs.

6 International Standards



**RAL 7030 , UL 94-V0 , IEC60695-2-1
EN50085-2-3** Conforms to International standards.

SLOTTED WIRING DUCTS



Slotted Wiring Duct


Product Code	Description	Packaging Box/m
CWD 2540G	25x30 Slotted Wiring Duct	100 m
CWD 2560G	25x40 Slotted Wiring Duct	60 m.
CWD 2580G	25x60 Slotted Wiring Duct	48 m.
CWD 4040G	40x40 Slotted Wiring Duct	52 m.
CWD 4060G	40x60 Slotted Wiring Duct	36 m.
CWD 4080G	40x80 Slotted Wiring Duct	48 m.
CWD 4010G	40x100 Slotted Wiring Duct	40 m.
CWD 6040G	60x40 Slotted Wiring Duct	36 m.
CWD 6060G	60x60 Slotted Wiring Duct	48 m.
CWD 6080G	60x80 Slotted Wiring Duct	32 m.
CWD 6010G	60x100 Slotted Wiring Duct	48 m.
CWD 8040G	80x40 Slotted Wiring Duct	32 m.
CWD 8060G	80x60 Slotted Wiring Duct	32 m.
CWD 8080G	80x80 Slotted Wiring Duct	24 m.
CWD 8010G	80x100 Slotted Wiring Duct	24 m.
CWD 1060G	100x60 Slotted Wiring Duct	24 m.
CWD 1080G	100x80 Slotted Wiring Duct	16 m.
CWD 1010G	100x100 Slotted Wiring Duct	16 m.



Slotted Wiring Ducts Cover

Code	Size (mm)	Colour	Packing Box/m.
CWC 250	25	RAL 7030 Grey	10x2 m.
CWC 400	40	RAL 7030 Grey	10x2 m.
CWC 600	60	RAL 7030 Grey	10x2 m.
CWC 800	80	RAL 7030 Grey	10x2 m.
CWC 1000	100	RAL 7030 Grey	10x2 m.

SLOTTED WIRING DUCTS AND HAND TOOLS





Solid Wiring Ducts

Product Code	Description	Packaging Box/m
NS-CWD 2540G	25x40 Solid Wiring Ducts	100 m.
NS-CWD 2560G	25x60 Solid Wiring Ducts	60 m.
NS-CWD 2580G	25x80 Solid Wiring Ducts	48 m.
NS-CWD 4040G	40x40 Solid Wiring Ducts	52 m.
NS-CWD 4060G	40x60 Solid Wiring Ducts	36 m.
NS-CWD 4080G	40x80 Solid Wiring Ducts	48 m.
NS-CWD 4010G	40x100 Solid Wiring Ducts	40 m.
NS-CWD 6040G	60x40 Solid Wiring Ducts	36 m.
NS-CWD 6060G	60x60 Solid Wiring Ducts	48 m.
NS-CWD 6080G	60x80 Solid Wiring Ducts	32 m.
NS-CWD 6010G	60x100 Solid Wiring Ducts	48 m.
NS-CWD 8040G	80x40 Solid Wiring Ducts	32 m.
NS-CWD 8060G	80x60 Solid Wiring Ducts	32 m.
NS-CWD 8080G	80x80 Solid Wiring Ducts	24 m.
NS-CWD 8010G	80x100 Solid Wiring Ducts	24 m.
NS-CWD 1060G	100x60 Solid Wiring Ducts	24 m.
NS-CWD 1080G	100x80 Solid Wiring Ducts	16 m.
NS-CWD 1010G	100x100 Solid Wiring Ducts	16 m.



Wiring Ducts Hand Tools

Product Code	Description	Packing Box / Pcs
CHT 01	Hand-held Type Wiring Ducts Cutter	1
CHT 02	Bench-type Wiring Ducts Cutter	1



Size (mm)

	A	B	C	D	E	F	G
25x40	25	38,7	6	12,5	6	1,4	13,5
25x60	25	58,7	6	12,5	6	1,6	17,2
25x80	25	78,7	6	12,5	6	1,8	16,5
40x40	40	38,7	6	12,5	6	1,4	14,9
40x60	40	58,7	6	12,5	6	1,6	15,6
40x80	40	78,7	6	12,5	6	1,8	19
40x100	40	98,7	6	12,5	6	1,9	20,9
60x40	60	38,9	6	12,5	6	1,6	13,5
60x60	60	58,9	6	12,5	6	1,8	17,4
60x80	60	78,7	6	12,5	6	1,8	19
60x100	60	98,7	6	12,5	6	2	21
80x40	80	39,2	6	12,5	6	1,8	15,3
80x60	80	58,9	6	12,5	6	1,8	17,4
80x80	80	78,7	6	12,5	6	1,8	20,8
80x100	80	79	6	12,5	6	2,2	21,2
100x60	100	59	6	12,5	6	2	17,6
100x80	100	78,9	6	12,5	6	1,3	21
100x100	100	99	6	12,5	6	1,3	21,2

Çetinkaya Pano Sac Tablo ve Plastik San. Ve Tic.

Factory:

Selahattin Eyyubi Mahallesi Piri Reis Caddesi No:6 Kır a /İstanbul

Tel: 0-212-689 5 689

Fax:0-212-689 5 699

Karak y Store:

 air Ziyapa a Cad. Hidayet Han No:45/A

Karak y/İstanbul

Tel : +90 212 245 22 12 - 243 48 60

Fax : +90 212 244 21 77

Export Region:

 air Ziyapa a Cad. Hidayet Han

No:45 Kat:6

Karak y/İstanbul

Tel : +90 212 255 0 469

Fax : +90 212 255 0 479

Perpa Store:

Perpa Ticaret Merkezi A Blok Kat 2 No: 9/30

Okmeydanı İstanbul

Tel: 0-212-320 03 51 - (3 Hat)

İstanbul European Side:

+90 532 581 71 72 / +90 535 708 66 38

İstanbul Anatolian Side:

+90 535 708 66 37 / +90 535 983 37 74

Ankara Region:

+90 533 602 65 78

İzmir B lge:

+90 536 860 91 27

Bursa Region:

+90 538 395 04 43

Gaziantep Region:

+90 538 279 96 94

Karadeniz Region:

+90 537 267 85 09

www.cetinkayapano.com



/ cetinkayapano